



Limonium

SILVER PINK

Available as a 72 liner from Ball Tagawa, exclusively from Ball Seed.

Limonium comes from the Greek word "meadow" that refers to its original habitat. Limonium originally grew in meadows along the sea in the Mediterranean. This flower brings to our homes the fresh feeling of being warm and relaxed in a breezy meadow in the Mediterranean. Limonium symbolizes remembrance, success, sympathy and beauty.

- This new series is fresh, essential and back in fashion for bouquets, corsages, and flower arrangements.
- The light pink color brings delicacy and elegance to flower arrangement and is very much in style.
- Very productive and hardy plant compared to its competitors.
- The calix and flowers are firmly located in the stems, preventing them from shattering.



TECHNICAL INFORMATION

CROP TIME

From planting to harvest: 26 weeks

PLANTING DENSITY

6 Plants /m² net (1 plant /ft²). Plants are spaced in a quincunx pattern with 40cm between each line.

PRE-PLANTING

Soil: Loose and well-drained soil, at least 25 cm deep.

pH: 5.5 to 6.5

Netting: 2-3 levels

PINCH

In order to stimulate the basal sprouting of new stems, pinch when the first stem is induced. Handle with care to avoid damaging the growth points.

IRRIGATION

For a good rooting, keep the moisture at field capacity for the first 3 weeks after planting. At week 5, lower irrigation to induce stems.

FERTILIZATION

A general fertilization formula can be as following:

N: 120 ppm

P: 50 ppm

K: 120 ppm

Ca: 180 Ppm

Mg: 50 ppm

S: 50 ppm

Fe: 2 ppm

Mn: 2.5 ppm

Cu, Zn and B: 0.2 ppm

HARVEST

Cut the stems when 80% to 90% of the flowers are open.

POST-HARVEST

Hydrate in a commercial post-harvest hydrating solution. Follow label instructions for application.

PACKAGING & STORAGE

Make bunches of 10 stems in plastic sleeve. Dry storage is recommended to avoid any phytosanitary issues.

PEST & DISEASES

- Low susceptibility to Downey Mildew
- Thrips
- Slugs
- Botrytis